

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: ID00019

Attachment to Certificate Number: ID000192016-1

Expiration Date: 7/31/2016

SVL Analytical

One Government Gulch Kellogg, ID 83837-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline Chemistry				
EPA 120.1	Conductivity	8/1/2015	7/31/2016	Certified
EPA 200.7	Aluminum	8/1/2015	7/31/2016	Certified
EPA 200.7	Antimony	8/1/2015	7/31/2016	Certified
EPA 200.7	Arsenic	8/1/2015	7/31/2016	Certified
EPA 200.7	Barium	8/1/2015	7/31/2016	Certified
EPA 200.7	Beryllium	8/1/2015	7/31/2016	Certified
EPA 200.7	Boron	8/1/2015	7/31/2016	Certified
EPA 200.7	Cadmium	8/1/2015	7/31/2016	Certified
EPA 200.7	Calcium	8/1/2015	7/31/2016	Certified
EPA 200.7	Calcium hardness as CaCO ₃	8/1/2015	7/31/2016	Certified
EPA 200.7	Chromium, total	8/1/2015	7/31/2016	Certified
EPA 200.7	Cobalt	8/1/2015	7/31/2016	Certified
EPA 200.7	Copper	8/1/2015	7/31/2016	Certified
EPA 200.7	Iron	8/1/2015	7/31/2016	Certified
EPA 200.7	Lead	8/1/2015	7/31/2016	Certified
EPA 200.7	Magnesium	8/1/2015	7/31/2016	Certified
EPA 200.7	Manganese	8/1/2015	7/31/2016	Certified
EPA 200.7	Molybdenum	8/1/2015	7/31/2016	Certified
EPA 200.7	Nickel	8/1/2015	7/31/2016	Certified
EPA 200.7	Potassium	8/1/2015	7/31/2016	Certified
EPA 200.7	Selenium	8/1/2015	7/31/2016	Certified
EPA 200.7	Silica as SiO ₂	8/1/2015	7/31/2016	Certified
EPA 200.7	Silver	8/1/2015	7/31/2016	Certified
EPA 200.7	Sodium	8/1/2015	7/31/2016	Certified
EPA 200.7	Strontium	8/1/2015	7/31/2016	Certified
EPA 200.7	Thallium	8/1/2015	7/31/2016	Certified
EPA 200.7	Tin	8/1/2015	7/31/2016	Certified
EPA 200.7	Titanium	8/1/2015	7/31/2016	Certified
EPA 200.7	Vanadium	8/1/2015	7/31/2016	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: ID00019

Attachment to Certificate Number: ID000192016-1

Expiration Date: 7/31/2016

SVL Analytical

One Government Gulch Kellogg, ID 83837-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 200.7	Zinc	8/1/2015	7/31/2016	Certified
EPA 200.8	Antimony	8/1/2015	7/31/2016	Certified
EPA 200.8	Arsenic	8/1/2015	7/31/2016	Certified
EPA 200.8	Barium	8/1/2015	7/31/2016	Certified
EPA 200.8	Beryllium	8/1/2015	7/31/2016	Certified
EPA 200.8	Cadmium	8/1/2015	7/31/2016	Certified
EPA 200.8	Chromium, total	8/1/2015	7/31/2016	Certified
EPA 200.8	Cobalt	8/1/2015	7/31/2016	Certified
EPA 200.8	Copper	8/1/2015	7/31/2016	Certified
EPA 200.8	Lead	8/1/2015	7/31/2016	Certified
EPA 200.8	Manganese	8/1/2015	7/31/2016	Certified
EPA 200.8	Molybdenum	8/1/2015	7/31/2016	Certified
EPA 200.8	Nickel	8/1/2015	7/31/2016	Interim
EPA 200.8	Selenium	8/1/2015	7/31/2016	Certified
EPA 200.8	Silver	8/1/2015	7/31/2016	Certified
EPA 200.8	Thallium	8/1/2015	7/31/2016	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2015	7/31/2016	Certified
EPA 200.8	Vanadium	8/1/2015	7/31/2016	Certified
EPA 200.8	Zinc	8/1/2015	7/31/2016	Certified
EPA 231.2	Gold	8/1/2015	7/31/2016	Nevada Approved
EPA 245.1	Mercury	8/1/2015	7/31/2016	Certified
EPA 300.0	Bromide	8/1/2015	7/31/2016	Certified
EPA 300.0	Chloride	8/1/2015	7/31/2016	Certified
EPA 300.0	Fluoride	8/1/2015	7/31/2016	Certified
EPA 300.0	Nitrate as N	8/1/2015	7/31/2016	Certified
EPA 300.0	Nitrate-nitrite	8/1/2015	7/31/2016	Certified
EPA 300.0	Nitrite as N	8/1/2015	7/31/2016	Certified
EPA 300.0	Sulfate	8/1/2015	7/31/2016	Certified
EPA 335.4	Cyanide, Total	8/1/2015	7/31/2016	Certified
EPA 350.1	Ammonia as N	8/1/2015	7/31/2016	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: ID00019

Attachment to Certificate Number: ID000192016-1

Expiration Date: 7/31/2016

SVL Analytical

One Government Gulch Kellogg, ID 83837-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 351.2	Kjeldahl nitrogen - total	8/1/2015	7/31/2016	Certified
EPA 353.2	Nitrate-nitrite	8/1/2015	7/31/2016	Certified
EPA 410.4	Chemical oxygen demand	8/1/2015	7/31/2016	Certified
SM 2120 B	Color	8/1/2015	7/31/2016	Certified
SM 2310 B	Acidity, as CaCO ₃	8/1/2015	7/31/2016	Certified
SM 2320 B	Alkalinity as CaCO ₃	8/1/2015	7/31/2016	Certified
SM 2340 B	Hardness by calculation	8/1/2015	7/31/2016	Certified
SM 2510 B	Conductivity	8/1/2015	7/31/2016	Certified
SM 2540 B	Residue-total	8/1/2015	7/31/2016	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2015	7/31/2016	Certified
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2015	7/31/2016	Certified
SM 2540 E	Residue-volatile	8/1/2015	7/31/2016	Certified
SM 3500-Cr B	Chromium VI	8/1/2015	7/31/2016	Certified
SM 4500-CN ⁻ I,E	Cyanide, WAD	8/1/2015	7/31/2016	Certified
SM 4500-H+ B	pH	8/1/2015	7/31/2016	Certified
SM 4500-P E	Orthophosphate as P	8/1/2015	7/31/2016	Certified
SM 4500-P E	Phosphorus, total	8/1/2015	7/31/2016	Certified
SM 4500-S ₂ ⁻ F	Sulfide	8/1/2015	7/31/2016	Certified
SM 5310 B	Dissolved organic carbon (DOC)	8/1/2015	7/31/2016	Nevada Approved
SM 5310 B	Total organic carbon	8/1/2015	7/31/2016	Certified
SM 5540 C	Surfactants - MBAS	8/1/2015	7/31/2016	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **ID00019**

Attachment to Certificate Number: **ID000192016-1**


Expiration Date: **7/31/2016**

SVL Analytical

One Government Gulch Kellogg, ID 83837-

Matrix: **Mining (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline Chemistry				
EPA 200.2	Acid digest for metals	8/1/2015	7/31/2016	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **ID00019**

Attachment to Certificate Number: **ID000192016-1**

Expiration Date: **7/31/2016**

SVL Analytical

One Government Gulch Kellogg, ID 83837-

Matrix: **Mining (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
Discipline Chemistry				
ASTM D7572-11	Cyanide Extraction Fluid from Soils and Mine Rock	8/1/2015	7/31/2016	Nevada Approved
ASTM E2242-13	MWMP Fluid (WITHOUT bottle roll option)	8/1/2015	7/31/2016	Nevada Approved
ASTM E2242-13 Appendix X1.3	MWMP Fluid (FROM bottle roll option_Fine Grained Material)	8/1/2015	7/31/2016	Nevada Approved
EPA 600/2-78-054, section 3.2.2_NV Modified	Paste pH	8/1/2015	7/31/2016	Interim
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (after oxidation_hydrogen peroxide)	8/1/2015	7/31/2016	Nevada Approved
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (without oxidation)	8/1/2015	7/31/2016	Nevada Approved
EPA 600/2-78-054, section 3.2.4_NV Modified	Total Sulfur (High Temp. Combustion Method)	8/1/2015	7/31/2016	Interim
EPA 600/2-78-054, section 3.2.6_NV Modified	HCl Extractable Sulfur	8/1/2015	7/31/2016	Nevada Approved
EPA 600/2-78-054, section 3.2.6_NV Modified	HNO3 Extractable Sulfur	8/1/2015	7/31/2016	Nevada Approved
EPA 600/2-78-054, section 3.2.6_NV Modified	Hot Water Extractable Sulfur	8/1/2015	7/31/2016	Nevada Approved

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: ID00019

Attachment to Certificate Number: ID000192016-1

Expiration Date: 7/31/2016

SVL Analytical

One Government Gulch Kellogg, ID 83837-

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline Chemistry				
EPA 6010	Aluminum	8/1/2015	7/31/2016	Certified
EPA 6010	Antimony	8/1/2015	7/31/2016	Certified
EPA 6010	Arsenic	8/1/2015	7/31/2016	Certified
EPA 6010	Barium	8/1/2015	7/31/2016	Certified
EPA 6010	Beryllium	8/1/2015	7/31/2016	Certified
EPA 6010	Boron	8/1/2015	7/31/2016	Certified
EPA 6010	Cadmium	8/1/2015	7/31/2016	Certified
EPA 6010	Calcium	8/1/2015	7/31/2016	Certified
EPA 6010	Chromium	8/1/2015	7/31/2016	Certified
EPA 6010	Cobalt	8/1/2015	7/31/2016	Certified
EPA 6010	Copper	8/1/2015	7/31/2016	Certified
EPA 6010	Iron	8/1/2015	7/31/2016	Certified
EPA 6010	Lead	8/1/2015	7/31/2016	Certified
EPA 6010	Magnesium	8/1/2015	7/31/2016	Certified
EPA 6010	Manganese	8/1/2015	7/31/2016	Certified
EPA 6010	Molybdenum	8/1/2015	7/31/2016	Certified
EPA 6010	Nickel	8/1/2015	7/31/2016	Certified
EPA 6010	Potassium	8/1/2015	7/31/2016	Certified
EPA 6010	Selenium	8/1/2015	7/31/2016	Certified
EPA 6010	Silver	8/1/2015	7/31/2016	Certified
EPA 6010	Sodium	8/1/2015	7/31/2016	Certified
EPA 6010	Strontium	8/1/2015	7/31/2016	Certified
EPA 6010	Thallium	8/1/2015	7/31/2016	Certified
EPA 6010	Tin	8/1/2015	7/31/2016	Certified
EPA 6010	Titanium	8/1/2015	7/31/2016	Certified
EPA 6010	Vanadium	8/1/2015	7/31/2016	Certified
EPA 6010	Zinc	8/1/2015	7/31/2016	Certified
EPA 6020	Antimony	8/1/2015	7/31/2016	Certified
EPA 6020	Arsenic	8/1/2015	7/31/2016	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **ID00019**

Attachment to Certificate Number: **ID000192016-1**


Expiration Date: **7/31/2016**

SVL Analytical

One Government Gulch Kellogg, ID 83837-

Matrix: **RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 6020	Barium	8/1/2015	7/31/2016	Certified
EPA 6020	Beryllium	8/1/2015	7/31/2016	Certified
EPA 6020	Cadmium	8/1/2015	7/31/2016	Certified
EPA 6020	Chromium	8/1/2015	7/31/2016	Certified
EPA 6020	Cobalt	8/1/2015	7/31/2016	Certified
EPA 6020	Copper	8/1/2015	7/31/2016	Certified
EPA 6020	Lead	8/1/2015	7/31/2016	Certified
EPA 6020	Manganese	8/1/2015	7/31/2016	Certified
EPA 6020	Nickel	8/1/2015	7/31/2016	Certified
EPA 6020	Silver	8/1/2015	7/31/2016	Certified
EPA 6020	Thallium	8/1/2015	7/31/2016	Certified
EPA 6020	Vanadium	8/1/2015	7/31/2016	Certified
EPA 7470	Mercury	8/1/2015	7/31/2016	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: ID00019

Attachment to Certificate Number: ID000192016-1

Expiration Date: 7/31/2016

SVL Analytical

One Government Gulch Kellogg, ID 83837-

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
Discipline Chemistry				
ASTM D7572	Cyanide Extraction from Soils & Rocks	8/1/2015	7/31/2016	Nevada Approved
EPA 1010A	Ignitability	8/1/2015	7/31/2016	Certified
EPA 1311-Metals	TCLP extracted Metals	8/1/2015	7/31/2016	Certified
EPA 1312-Metals	SPLP extracted Metals	8/1/2015	7/31/2016	Nevada Approved
EPA 3050	Acid digest for metals	8/1/2015	7/31/2016	Certified
EPA 351.2 M	Kjeldahl nitrogen - total	8/1/2015	7/31/2016	Certified
EPA 6010	Aluminum	8/1/2015	7/31/2016	Certified
EPA 6010	Antimony	8/1/2015	7/31/2016	Certified
EPA 6010	Arsenic	8/1/2015	7/31/2016	Certified
EPA 6010	Barium	8/1/2015	7/31/2016	Certified
EPA 6010	Beryllium	8/1/2015	7/31/2016	Certified
EPA 6010	Boron	8/1/2015	7/31/2016	Certified
EPA 6010	Cadmium	8/1/2015	7/31/2016	Certified
EPA 6010	Calcium	8/1/2015	7/31/2016	Certified
EPA 6010	Chromium	8/1/2015	7/31/2016	Certified
EPA 6010	Cobalt	8/1/2015	7/31/2016	Certified
EPA 6010	Copper	8/1/2015	7/31/2016	Certified
EPA 6010	Iron	8/1/2015	7/31/2016	Certified
EPA 6010	Lead	8/1/2015	7/31/2016	Certified
EPA 6010	Magnesium	8/1/2015	7/31/2016	Certified
EPA 6010	Manganese	8/1/2015	7/31/2016	Certified
EPA 6010	Molybdenum	8/1/2015	7/31/2016	Certified
EPA 6010	Nickel	8/1/2015	7/31/2016	Certified
EPA 6010	Phosphorus, total	8/1/2015	7/31/2016	Certified
EPA 6010	Potassium	8/1/2015	7/31/2016	Certified
EPA 6010	Selenium	8/1/2015	7/31/2016	Certified
EPA 6010	Silver	8/1/2015	7/31/2016	Certified
EPA 6010	Sodium	8/1/2015	7/31/2016	Certified
EPA 6010	Strontium	8/1/2015	7/31/2016	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **ID00019**

Attachment to Certificate Number: **ID000192016-1**

Expiration Date: **7/31/2016**

SVL Analytical

One Government Gulch Kellogg, ID 83837-

Matrix: **RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
EPA 6010	Thallium	8/1/2015	7/31/2016	Certified
EPA 6010	Tin	8/1/2015	7/31/2016	Certified
EPA 6010	Titanium	8/1/2015	7/31/2016	Certified
EPA 6010	Vanadium	8/1/2015	7/31/2016	Certified
EPA 6010	Zinc	8/1/2015	7/31/2016	Certified
EPA 6020	Antimony	8/1/2015	7/31/2016	Certified
EPA 6020	Arsenic	8/1/2015	7/31/2016	Certified
EPA 6020	Barium	8/1/2015	7/31/2016	Certified
EPA 6020	Beryllium	8/1/2015	7/31/2016	Certified
EPA 6020	Cadmium	8/1/2015	7/31/2016	Certified
EPA 6020	Chromium	8/1/2015	7/31/2016	Certified
EPA 6020	Cobalt	8/1/2015	7/31/2016	Certified
EPA 6020	Copper	8/1/2015	7/31/2016	Certified
EPA 6020	Lead	8/1/2015	7/31/2016	Certified
EPA 6020	Manganese	8/1/2015	7/31/2016	Certified
EPA 6020	Nickel	8/1/2015	7/31/2016	Certified
EPA 6020	Selenium	8/1/2015	7/31/2016	Certified
EPA 6020	Silver	8/1/2015	7/31/2016	Certified
EPA 6020	Thallium	8/1/2015	7/31/2016	Certified
EPA 6020	Vanadium	8/1/2015	7/31/2016	Certified
EPA 6020	Zinc	8/1/2015	7/31/2016	Certified
EPA 7471	Mercury	8/1/2015	7/31/2016	Certified
EPA 9012	Cyanide, Total	8/1/2015	7/31/2016	Certified
EPA 9045	Corrosivity (pH)	8/1/2015	7/31/2016	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: ID00019

Attachment to Certificate Number: ID000192016-1

Expiration Date: 7/31/2016

SVL Analytical

One Government Gulch Kellogg, ID 83837-

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline Chemistry				
EPA 180.1	Turbidity	8/1/2015	7/31/2016	Certified
EPA 200.7	Aluminum	8/1/2015	7/31/2016	Certified
EPA 200.7	Barium	8/1/2015	7/31/2016	Certified
EPA 200.7	Beryllium	8/1/2015	7/31/2016	Certified
EPA 200.7	Boron	8/1/2015	7/31/2016	Certified
EPA 200.7	Cadmium	8/1/2015	7/31/2016	Certified
EPA 200.7	Calcium	8/1/2015	7/31/2016	Certified
EPA 200.7	Calcium hardness as CaCO3	8/1/2015	7/31/2016	Certified
EPA 200.7	Chromium	8/1/2015	7/31/2016	Certified
EPA 200.7	Copper	8/1/2015	7/31/2016	Certified
EPA 200.7	Hardness by calculation	8/1/2015	7/31/2016	Certified
EPA 200.7	Iron	8/1/2015	7/31/2016	Certified
EPA 200.7	Magnesium	8/1/2015	7/31/2016	Certified
EPA 200.7	Manganese	8/1/2015	7/31/2016	Certified
EPA 200.7	Nickel	8/1/2015	7/31/2016	Certified
EPA 200.7	Potassium	8/1/2015	7/31/2016	Certified
EPA 200.7	Silica as SiO2	8/1/2015	7/31/2016	Certified
EPA 200.7	Silver	8/1/2015	7/31/2016	Certified
EPA 200.7	Sodium	8/1/2015	7/31/2016	Certified
EPA 200.7	Zinc	8/1/2015	7/31/2016	Certified
EPA 200.8	Antimony	8/1/2015	7/31/2016	Certified
EPA 200.8	Arsenic	8/1/2015	7/31/2016	Certified
EPA 200.8	Barium	8/1/2015	7/31/2016	Certified
EPA 200.8	Beryllium	8/1/2015	7/31/2016	Certified
EPA 200.8	Boron	8/1/2015	7/31/2016	Certified
EPA 200.8	Cadmium	8/1/2015	7/31/2016	Certified
EPA 200.8	Chromium, total	8/1/2015	7/31/2016	Certified
EPA 200.8	Cobalt	8/1/2015	7/31/2016	Nevada Approved
EPA 200.8	Copper	8/1/2015	7/31/2016	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: ID00019

Attachment to Certificate Number: ID000192016-1

Expiration Date: 7/31/2016

SVL Analytical

One Government Gulch Kellogg, ID 83837-

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 200.8	Lead	8/1/2015	7/31/2016	Certified
EPA 200.8	Manganese	8/1/2015	7/31/2016	Certified
EPA 200.8	Molybdenum	8/1/2015	7/31/2016	Certified
EPA 200.8	Nickel	8/1/2015	7/31/2016	Certified
EPA 200.8	Selenium	8/1/2015	7/31/2016	Certified
EPA 200.8	Silver	8/1/2015	7/31/2016	Certified
EPA 200.8	Thallium	8/1/2015	7/31/2016	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2015	7/31/2016	Certified
EPA 200.8	Vanadium	8/1/2015	7/31/2016	Certified
EPA 200.8	Zinc	8/1/2015	7/31/2016	Certified
EPA 245.1	Mercury	8/1/2015	7/31/2016	Certified
EPA 300.0	Bromide	8/1/2015	7/31/2016	Certified
EPA 300.0	Chloride	8/1/2015	7/31/2016	Certified
EPA 300.0	Fluoride	8/1/2015	7/31/2016	Certified
EPA 300.0	Nitrate as N	8/1/2015	7/31/2016	Certified
EPA 300.0	Nitrite as N	8/1/2015	7/31/2016	Certified
EPA 300.0	Sulfate	8/1/2015	7/31/2016	Certified
EPA 335.4	Cyanide	8/1/2015	7/31/2016	Certified
SM 2320 B	Alkalinity as CaCO ₃	8/1/2015	7/31/2016	Certified
SM 2330 B	Corrosivity (langlier index)	8/1/2015	7/31/2016	Certified
SM 2340 B	Hardness by calculation	8/1/2015	7/31/2016	Certified
SM 2510 B	Conductivity	8/1/2015	7/31/2016	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2015	7/31/2016	Certified
SM 4500-H+ B	pH	8/1/2015	7/31/2016	Certified
SM 4500-P E	Orthophosphate as P	8/1/2015	7/31/2016	Certified
SM 5310 B	Dissolved organic carbon (DOC)	8/1/2015	7/31/2016	Certified
SM 5310 B	Total organic carbon	8/1/2015	7/31/2016	Certified
SM 5540 C	Surfactants - MBAS	8/1/2015	7/31/2016	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.